

*T.<sup>s</sup> 1 & 2, R. 1 W. 1<sup>st</sup> Mer.*

11	11	11	11	12	12
14 6	25 5	26 4	27 3	19 2	28 1
24 25	24 25	26 27	26 27	27 29	28 29
14 7	26 8	26 9	27 10	19 11	28 12
17	17	18	18	19	20
15 18	34 17	32 16	33 15	29 14	30 13
33 34	33 34	31 32	31 32	29 31	30 30
15 19	33 34 20	32 21	32 22	27 23	30 24
16	17	22	22	23	24
15 30	35 29	36 28	36 27	37 26	38 25
35 36	34 36	36	36	37 39	37 38
16 31	35 32	23 33	34	22 35	37 36
12 6	36 3	Meanders, 40			

T. 3, R. 1 W. 1<sup>st</sup> Mer.

50	45	45	45	46	46	47
6	58 59	5	56	4	59 60	3
58	58 59	60	60	61	61	61
50	7	57 59	8	56	9	59 61
55	55	55	55	56	56	56
50	18	62 63	17	64	16	61
62 63	62 63	61	Meanders, 68	68	22 54	22 54
51	19	62 63	20	64	21	68
53	53	53	53	53	53	53
51	30	64	29	62	28	60 62
63 65	63 65	65	65	65	65	65
51	31	64 65	32	62	33	60 62
47	47	47	47	47	47	47

## T. 1. &amp; 2. R. 1. W.

line & fell 65 lks west of temporary post. moved it to the center cor. to sec. 29. 30. 31. & 32. when a Sugar birch, bears N 29 E. 29 lks & a Blue Oak 13 inches, bears S. 47. W. 30 lks. Thence East between sec 29 & 32 I moved the  $\frac{1}{4}$  sec post to the average distance, when a w. Oak 10 inches, bears S 17 E 9 lks, & a Sugar 7 inches, bears N 65 W 7 lks.

West Thence West between Sec. 30. & 31, moved the  $\frac{1}{4}$  sec. post to the average distance, when a Buckeye 8 inches, bears S. 41 E 26 lks & a Blue Oak 18 inches, bears N 33 E 20 lks.

South Thence South on true line from center post between Sec. 31. & 32, Set  $\frac{1}{4}$  sec post at average distance when a Beech 30 inches, bears S. 28 E. 7 lks. & a Beech 7 inches, bears S. 75 W. 43 lks. Continued on true line to corner of Sec. 31. & 32, Marked the corner by the plan.

South Proceeded South to the River. T. 1. R. 1. W.

5.17 Set a post, from which a Sycamore 18 inches, dia. bears N 35 E. 7 lks. & a Sycamore 7 inches, bears N 77 W. 20 lks. Marked the trees by the plan

South Random Line south between Sec. 27. & 28.

25.30 At Brook 7 lks. wide, course East. No water.

78.76 Set temporary post. Land very broken &c.

West Random Line west between Sec. 27. & 34. T. 2. R. 1.

40.00 Set temporary  $\frac{1}{4}$  sec post

68.10 Cross Bryan's creek, 100 lks. wide Course S. E.

80.00 Set temporary center post. 2<sup>nd</sup> rank land, all Beech flat

West Continue West between Sec. 28 & 33.

40.00 Set temporary post

53.80 At Brook 8 lks. wide Course S. W.

74.46 Fell 173 lks North of the post, cor. to Sec. 28. 29. 30. & 33.

West Thence West between Sec. 26 & 35, turned the  $\frac{1}{4}$  Sec post to the average distance, when a ..... 3 inches, that bears S. 4 N. 9 lbs. to Buck 20 inches, bears N. 4 W. 11 lbs

---

North Thence North between Sec. 25 & 26 turned the  $\frac{1}{4}$  Sec post to the average distance, when a Buck 24 inches, bears S. 70 W. 30 lbs to a Buck 6 inches, bears N. 60 E. 7 lbs

---

South Continued South from center post, between Sec. 35 & 36. S. V. R. I. W.

71.80 Bore 10 lbs wide course S. W.

76.33 Bank of Ohio River at low water mark, then set a post from which a sycamore 3 inches, dia. bears N. 10 W. 100 lbs. to an Elm 10 inches, bears N. 45 E. 102 lbs. Marked so by the plan, as the Land has been sold & it is unnecessary to establish a  $\frac{1}{4}$  Sec post. July 27. 1855.

---

West 1/2 Boundary of Township N. 1. Range N. 1. W. of the 1<sup>st</sup> Meridian.

South 1<sup>st</sup> Mile South from the Northwest corner.

18.34 A Buck 20 inches, dia.

26.50 A large Cand. Maple all killed by the snow frost

34.36 A. Sugar tree 18 inches, dia.

42.00 A Post on the Bank of the Ohio, from which a sycamore 6 inches, dia. bears N. 73 E. 60 lbs. to another sycamore 6 inches, dia. bears S. 35 W. 25 lbs. From the town corner. The land 1<sup>st</sup> rate & of a superior quality. Timber Ash, Oak, Elm, Sugar tree, Poplar, Beech &c. No underbrush. Marked the trees by the plan. May 1<sup>st</sup> 1799.

---

The Meanders of the Ohio River on Township N. 1. Range N. 1. West of the Meridian. Commenced

## S. 1. &amp; 2. R. 1. W.

at the point between Sec. 1. S. 1. R. 2. & Sec. 1. S. 1. R. 1  
West of the Meridian.

N 78° E. 5.00

N 64° E 2.95

N 61° E 15.05

N 47° 30' E 8.58 From the port the land extraordinary rich  
level & new timbered

N 45° 30' E 4.12

N 55° 30' E 10.97

N 64° E 14.21 11.50 The mouth of Dam Creek 110 lbs wide  
steep muddy banks.

N 77° E 3.33

N 55° 30' E 21.31 Abundance of beautiful Limestone for building

N 50° E 9.55

N 24° 30' E 2.37 To a sycamore corner of Sec 5 S. 1. R. 1. & corner  
of Sec. 34. S. 2. R. 1. West of the Meridian.

The Meander of the Ohio River in Township  
No. 2. Range No. 1. West of the Meridian.

Commenced at the corner of Sec. 5. S. 1. & cor. Sec.  
34. S. 2. R. 1. W of the Meridian. Thence up River.

N 80° E 1.84

N 55° E 7.20

N 51° 30' E 35.00

N 61° E. 2.50 The commencement of a sand beach

N 55° E 22.09

N 64° E 12.14

N 18° 30' E 3.27 2. Propert between Sec. 32 & 33. S. 2. R. 1. W.

N 67° E 2.85

N 60° E 7.93

N 49° 45' E 19.65

N 86° E 16.40

N 71° E 3.50 200 Yards the mouth of Brian's Creek 150 lbs wide  
entire from N. 52° E.

S. 83° E 15.72

S. 77° 45' E 5.12

N 40° E 13.73. 1.50. A Deep gutter hole, wide + small stream  
 N 23° 30' 1.15 Iron Elm corner to Sec 13. S. 1. W. + Range 1.  
 West + Cor. of Sec. 18. S. 1. R. 1. East. of the  
 Meridian

---

Surveyed by Benjamin Chambers C. S.  
 A. C. 1799.

I certify that the foregoing transcript of field notes of the survey of Township N. 2, in Range N. 1 East (below the Miami) and Townships N. 1 & 2, in Range N. 1 West of the 1<sup>st</sup> Principal Meridian, in the State of Indiana, has been compared with the original on file in this office and found to be correct.

Surveyor General's Office,  
 Cincinnati, Feb. 6. 1841

P. D. Laine  
 Sur. Gen.